Index

3rd-Party SCSI Copy Command 253–254, *497*
64b/66b-encoding 73–75, *497*
8b/10b encoding 73–75, *497*

A
Access control 172, 188, 302, 314–315, 322, 342, 425–426, 428–429, 431, 441–442, 450, 456, 460–462, *497*
Access control list (ACL) *497*
Access handle, *see* Removable media management
Access path 19, 177, 204, 257, 372–373, 424, 450, 459–461, 480–481, 483, *497*
ACL, *see* Access control list (ACL)
Active 19–20, *497*
Active/active 19–20, 209, 220, *498*
Active/passive 19–20, 220, *498*
Adaptability 219–230, 295–296
  archiving 295–296
  bandwidth 113
  connection of server to storage 62, 93
  device replacement during runtime 175
  limitations 167–172
  new applications 193, 197
  new end devices 197
  storage capacity 198
  user interface 195
Agent *498*
Aggregation *498*
AIIM 284, 319
AL_PA, *see* Fibre Channel
Appliance 150, 468–469, 471, 489, 492, *498*
Application server-free backup, *see* Backup
Arbitrated loop, *see* Fibre Channel
Archive bit, *see* Backup
Archive log file, *see* Databases
Archiving, 203
  access protection, 429
  access time, 300–301
  access to data, 292, 296
  access verification, 302
  adaptability, 295–296
  advantages of archiving, 283
  appropriate operational and organisational measures for, 342–343
  architecture of a digital archive system, 283–285
  archive management, 283–284
  archive storage, 296–299, 303–307
  archiving client, 328–329
  auditability, 292, 299
  backup and, 285–288
  backup copies, 286, 288
  cave paintings, 282

Storage Networks Explained: Basics and Application of Fibre Channel SAN, NAS, iSCSI, InfiniBand and FCoE, Second Edition
U. Troppens R. Erkens W. Müller-Friedt N. Haustein R. Wolafka © 2009 John Wiley & Sons, Ltd

central archive, 338–341
CIFS gateway, 316
client capability, 308
cost-related requirements, 297
danger of obsolescence, 311
data, 286, 291, 293
data growth, 325
data integrity, 302–305
data migration, 301, 309–310
data mirroring, 299, 307–308
data security, 302
data throughput, 288, 295–296
data traffic, 302
data types, 332
deduplication, 322
defining information lifecycle management (ILM), 282
definition, 282
deletion of data, 305–306
DICOM, 335–337
digital archiving, 282–283
Document management system (DMS)
  central DMS, 339
  classification, 324
  federated, 338–340
  full-text index, 314
  indexing, 296
  integrated DMS, 339–340
  linking, 341
  search, 341
  services
ECM, *see* Archiving, Enterprise content management
electricity costs, 356
email, 321–325
Enterprise content management (ECM), 284
environmental influences, 294
environmental risks, 298
ERP data, 332–335
ERP system, 332–335
Extensible access method (XAM), 316–318
files, 325
Food and Drug Administration, 292
freedom of choice in technology, 293
GDPdU, 292
goal of archiving, 282
GoBS
Health Insurance Portability and Accountability Act (HIPAA), 293
health level 7 (HL7), 312, 314
hierarchical storage management, *see* Archiving, Storage hierarchy
HIS, *see* Archiving, hospital information system
hospital information system, 335
HSM client, 328–329
iECM, *see* Archiving, Interoperable enterprise content management
ILM *vs,* 288–290
implementation of archive systems
  component-neutral, 310–311
  continuous operation, 307
  data integrity for, 302–305
  data security, 302
  deletion of data, 305–306
  loss-free operation, 307–308
  regulatory compliance, 305
  selection of the components, 311
  storage hierarchy and migration, 309–310
  WORM storage technology, 298–302
information, 282
Information lifecycle management (ILM), 282
infrastructure, 286–288
interfaces
  between application and DMS, 313–314
  eXtensible Access Method (XAM), 317–318
  Java Content Repository (JCR), 314–315
  management, 318
  between multiple DMS systems, 318–319
  standardised and open, 312, 319–320
  between storage and DMS, 315–317
interfaces
  durability, 311–313
Interoperable content management (ICM)
Java content repository (JCR)
  Java specification request
    JSR-170, 315
    JSR-283, 315
JCR, *see* Archiving, Java content repository
legal requirements
  Changes, 292

life span of backup copies, 309–310
management, 318
metadata, 285–288
microfilm, 283
modality
NFS gateway
operating costs, 297, 299–300
operational requirements, 296–297
operative aspects, 342–343
organisational aspects, 342–343
PACS, *see* Archiving, Picture Archiving and Communication System
paper archive, 283
papyrus, 282
Picture archiving and communication system (PACS), 335
planning, 290
procurement cost, 297
protocol converter, 312–316, 324
Radiological Information System (RIS), 335
reasons, 291
reasons, 291
reference architecture, 283–285
regulatory compliance, 291–292, 305
regulatory requirements, 291–293
requirements, 313
requirements for archive data, 289–290
retention times, 285–286
RIS, *see* Archiving, Radiological Information System
risk management, 342
robustness of archive systems, 291
SAP ArchiveLink, 332
SAP document finder, 334
scalability, 295–296
scalability requirements, 295–296
Security Exchange Commission
SMI-S, 318
solutions
central, 338–341
emails, 321–325
ERP data, 332–335
files, 325–331
in hospitals, 335–338
stability requirements, 294
standardised interfaces, 311–312, 319–320
storage
with DMS, 324–325, 330–331, 333–334, 336–337
with file system interface, 326–328
using protocol converters, 328–330
without DMS, 323–324, 332–333, 336
storage hierarchy, 309–310
as a strategic investment, 297–298
strategy, 342
technical progress, 293
technical progress, impact, 293
technology-independent, 298, 310
test, 342
tiered storage, *see* Archiving, storage hierarchy
transparency, 296
unchangeability
vendor, 293–294
verification log
WORM technologies
hard disk, 299
magnetic tape, 300–301
optical media, 300
XAM, *see* Archiving, Extensible Access Method
ASIC (Application Specific Integrated Circuit) 61
Asymmetric storage virtualization, *see* Storage virtualization
ATA 62
Atomicity, *see* Databases
Audit trail, *see* Removable media management, media tracking
Autoloader, *see* Removable media, library
Availability 135, 175–187
auxiliary components 55
calculation, 361–362
characterization, 360–361
cluster, *see* Cluster
controller 55
coupling
parallel 361–362
serial 361
database 212–214
disk subsystems 54–56, 212–214
dual SAN 100
due to storage virtualization 177, 214
external I/O channels 55

Availability (*continued*)
high availability
vs disaster recovery 358
remote mirroring 374
RTO 362
volume manager 374
instant copy 55
internal I/O channel 55
mean-time-between-failure (MTBF), 359–360
mean-time-to-failure (MTTF), 359–360
multipathing software 207–210
overall, 361–362
parameters, 361
RAID, 299, 348 *see also* RAID
redundant data centres 215–219
redundant disk subsystems 212–214
redundant I/O buses 206–210
redundant servers 210–211
remote mirroring 46, 212
self-diagnosis of hard disks 23, 55
server cluster, *see* Cluster
single point of failure 55, 212
virtualization entity 177, 214
volume manager mirroring 374

B

Backup, *499*
application server-free backup 258, 262, 277, *498*
archive bit 262–263, *498*
archiving 239, 245, 285–288, *498*
backup of desktop PCs 243–244
backup of laptops 245–246
backup clients 239, 242, 244–245, 248–250, 255, 261, 271, 277
time window 238, 243
bare metal restore, *see* Backup, image restore
block level 245–246, 277
block-level incremental backup 261–262, *509*
cold backup, *see* Databases, backup
consistency 257, 274, 276
continuous data protection (CDP), 373, *500*
RPO, 373
costs of data loss 278
D2D 267
D2D2T 373–374
data monster 248
databases, *see* Databases
definition of archiving 282
error handler 241, *506*
Fibre Channel over IP (FCIP) 105, 108–109
file level 244–246, 262
file server 249–251, 255–256, 258, 261–263
metadata 261
restore 262
file systems 262–263
archive bit 262–263
freeing up space through archiving 176
fuzzy backup, *see* Databases, backup
general conditions 238
goal, 252
hierarchical storage management (HSM) 237, 239–240, *508*
hot backup, *see* Databases, backup
image restore 262, *509*
incremental forever 241–243, 245–246, 262, 277, *509*
archive bit 262–263
infrastructure 238, 245, 248
instant copy 257–259, 263, 276–277
insufficient distance between production data and backup copies 252, 256–257, 373
job scheduler 241, *510*
LAN-free backup 254–256, *511*
Library sharing, *see* Storage sharing
life span of backup copies 309, 320, 342
media manager 242–244, *512*
metadata 241–242, *512*
metadata database 241–242, *512*
mksysb command 262
NAS server 263–265
metadata 230
network backup 237–278
network backup system *514*
Network Data Management Protocol (NDMP), *see* NDMP
off-site location 244, 252, *514*
off-site storage 211–212, 219
online backup 257
performance increase, *see* Performance increase

personnel cost 277–278
point-in-time restore 242, *515*
remote mirroring 259, *516*
restore 259, 262
server components 241–244
server-free backup 252–254, *518*
storage hierarchy 242–243, 250, 253, *520–521*
streaming, *see* Removable media, tape
tape library sharing, *see* Storage sharing
tape reclamation 242, 244, 247, 252, *522*
terminology 239–240
training scenarios 244
usage areas
volume level 244, 246, *523*
Web Flash Archive (Solaris) 262
with storage virtualization 178
XCOPY, *see* SCSI
Backup window, *see* Backup
Bare metal restore, *see* Backup, image restore
Binary encoding 73,
Block aggregation 451–452, 456–457, 459–460, 463, 465, 467–474, 476, 479–492, *499*
Block layer, *see* SNIA shared storage model
Block level 10, 152, 156, 165, 168, 175–176, 179, 182, 184, 186, 190, 203, 244–246, 262–263, 277, 456, 467, 469, *499*
Block orientation *499, 507*
Bluefin, *see* CIM, SMI-S
Buffer credit, *see* Fibre Channel
Bus 9, 39, 60–65, 71, 77, 87,–88, 107, 117–118, *499*
Business continuity
with archiving, 358
availability, *see* Availability
basic conditions, 346–356
business continuity plan
completeness, 383
content, 384
requirements, 348
steps to prepare, 355–356
test, 356
business continuity programme
classification of outages, 348
classification of risks, 347–348
continuous business operations, 347, 357, 359
continuous data protection (CDP), *see* Backup
cost optimization, 351–353
costs
cost optimisation, 351–353
cost-time window, 352–353, 364
definition, 346
disaster recovery (DR)
data consistency, 349
definition of high availability, 357
remote mirroring, 374–375
RTO, *see* Recovery time objective (RTO)
volume manager, 377
DR, *see* Business continuity, disaster recovery
electronic vaulting, *see* Business continuity, vaulting
emergency operation, 383
failures
business context, 349
catastrophes, 345, 348, 358
classification, 348
direct damage, 349
evaluation, 349, 355
indirect damage
major outages, 348
minor outages, 348
planned, 347–348
unplanned, 346–348
HA, *see* Availability, high
high availability, *see* Availability, high
Information Lifecycle Management (ILM), 282
IT failures in the context of business processes, 349
mean-time-between-failure (MTBF), *see* Availability
mean-time-to-failure (MTTF), *see* Availability
mean-time-to-recover (MTTR), *see* Availability
network recovery objective (NRO), 359, 364
NRO, *see* Business continuity, network recovery objective
operational location switch of, 383

Business continuity (*continued*)
organisational aspects, 384
parameters, 355
availability, *see* Availability
failures, 362–363
Network Recovery Objective (NRO), 364
plan, 355–356
completeness, 383
content, 384
requirements, 348
test, 356
qualification of staff, 384
quality of service for
data backup with backup data centre (tier 2), 368
data backup without a backup data centre (tier 1), 368
disk subsystem-based mirroring (tier 6), 369–370
electronic vaulting (tier 3), 369
fully automated solutions (tier 7), 370
high availability *vs* disaster recovery, 365–366
instant copies (tier 4), 369
no data backup (tier0), 367–368
service level agreements (SLA), 364–365
seven-tier model, 366–367
software mirroring (tier 5), 369
recovery point objective (RPO)
continuous availability, 377–382
continuous data protection (CDP), 373
disaster recovery, 358
instant copy, 372–373
remote mirroring, 374–375
replication, 377
seven-tier model, 371
volume manager, 377–378
recovery time objective (RTO)
continuous availability, 377–382
high availability, 357
instant copy, 372–373
remote mirroring, 348, 357–358
replication, 358, 369
seven-tier model, 366–367
volume manager, 357, 365
restart
cost-time window, 352–353, 364
phases, 350
requirements, 351
restart of IT systems after a fault, 349–351
risk analysis and risk management, 353–355
rolling disaster, 380
RPO, *see* Business continuity, recovery point objective
RTO, *see* Business continuity, recovery time objective
service level agreements (SLA), 364–365
seven-tier model
RTO and RPO, 366–367, 371
solution segments, 371
solutions
backup and restore, 372
basic techniques, 370–371
continuous availability, 377–382
rapid data recovery using mirrors, 374–377
rapid data recovery with copies, 372–374
seven-tier model, 371
solution segments, 371
strategies
availability, 357
continuous business operation, 358
disaster recovery, 358
high availability, 357
target audience, 347
terminology, 346–347
test, 356, 384
vaulting, 369
web architecture, 361
for web architecture, 351

C

Cache *500*
Cache server 164, 184, 191, 207, 221, 460–461, *500*
Cartridge, *see* Removable media
CD, *see* Removable media, optical media
CDP,*see* Backup, continuous data protection
CIFS, *see* File systems
CIM 403–408, *500*
association 405
attribute 405

Bluefin, *see* CIM, SMI-S
class 405
client 408
CIM operations over HTTP 405
Common Schema 406–408
Core Schema 406–408
Extension Schema 406–408
instance 405
managed object 408
messages 397–398
methods 405
object manager 408
object-oriented modelling (OOM) 405
provider 408
relationship 405
schema 267
SMI-S 409–411, *519*
subclass 405
trigger 409
WBEM 408, *524*
xmlCIM Encoding Specification 405
Class 1, Class 2, Class 3, *see* Fibre Channel, service classes
Cluster 219–226,*500–501*
active/active 222
active/passive 222–223
definition of terms 195–199
enhanced shared-nothing 221, 224, *505*
fault-tolerance 212, 230
file server 222–223, 227, 229
load distribution 219–226
dynamic 225
static 221, 224
representation server 228–229, 231, 233
shared-everything 225, *519*
shared-nothing 220, 222–223, *519*
shared-null configuration 220, *519*
virtual IP address 210–211, 222
cluster computer RS/6000 SP 152–155
CLI, *500*
CMIP, *see* Management of storage networks
Cold backup, *see* Backup, databases *356*
Co-location *356*
Command line interface (CLI), *500*
Community name, *see* SNMP
Computer upgrade 4–7
Consistency 6, 257, 274, 276
Consistency group, *see* Disk subsystems
Continuous business operation, *see* Business Continuity
Continuous data protection, *see* Backup
Continuous operation, *see* Business continuity, continuous business operation
Copy-on-demand 43, *356*
CRC, *see* Cyclic redundancy check
Cut-through routing 89, *356*
CWDM *502*
Cyclic redundancy check (CRC) 303

D
D2D, *see* Backup
D2D2T, *see* Backup
D_ID, *see* Fibre Channel
DAFS, *see* File systems
DAS *356* (only in glossary)
Data copying, *see* Storage sharing
Data doubling, *see* Storage doubling
Data networks 198
Data protection, *see* Backup
Data sharing, *see* Storage sharing
Databases 5, 202, 238–243
archive log files 275–276
atomicity 272–274
backup 274–278
application server-free backup 252–254
archive log files 275–276
block level 262–263
block-level incremental backup 262–263
cold backup 274, 276
consistency 274, 276
forward recovery 275
frequency 277
fuzzy backup 275–276
hot backup 275–276, *508*
incremental forever 277, 279
instant copy 257
LAN-free backup 254–256
DAFS 124, 140, 146–150, 197
file systems and databases 138–139
forward recovery 275, 373, *507*
log file 272–274
parallel 204–206
transaction 272–274, 276

Data integrity
audit, 305, 305
cryptographic hash
message digit 5 (MD5), 303
secure hash algorithm (SHA), 303
cyclic redundancy check (CRC), 303
digital signature, 303, 307
electronic signature, *see* Digital signature
error-correcting encoding (ECC), 303
RAID, 304
recovery, 304–305
Data migration, 310
with archiving, 309–310
Data scrubbing, *see* RAID
Data shredding, 306
Deduplication 322
Degraded RAID array, *see* RAID
Device driver, *see* I/O techniques
DICOM, see Archiving
Digital signature 303, 307
Direct Access File System, *see* file systems, DAFS
Director, *see* Fibre Channel
Disaster recovery (DR), *see* Business continuity, disaster recovery
Discovery, *see* Management of storage networks
Disk subsystems 15–56, *504*
auxiliary components 55
availability, *see* Availability
cache 40–41, 140–141
consistency group 49–52
rolling disaster 380
controller 15–44, 55–56
data integrity 302–305
data scrubbing, *see* RAID
degraded array, *see* RAID
disk-based WORM storage 299
fault-tolerance 19, 22, 26, 29, 31, 38–39
hard disks 18–21
cache 40–41
capacity 18–19, 23
controller 40–41
physical 18–19, 22
self-diagnosis 23, 55
virtual 15, 22–29, 55–56, 63–64, 114, 140–141, 175, 179, 363, 374, 384
instant copy 6, 42–44, 140, 161, 164–165, 257–259, *510*
comparison snapshot 140
consistency group *see* Disk subsytems
data consistency 6, 43, 49–50
incremental 372, 376, 380
full copy 43
partial copy 43
rolling disaster 380
RTO and RPO 362–363
space efficiency
three-way mirror 43
intelligent disk subsystems 15–56
internal I/O channel 18–21
active 19
active/active 20
active/passive 19–20
interoperability 140–141, 170
JBOD 21–22, *361*
LUN masking 52–54, 161, 182, 462, *511*
port-based 53
server-based 53–54
multitasking capability 103
performance 18, 22
physical protection 2
prefetch hit rate *515* (only in glossary)
RAID, *see* RAID
over several disk subsystems 166–167, 222, 272
remote mirroring 6, 44–49, *516*
asynchronous 46, 48, 51, 53
consistency group *see* Disk subsytems
freeze, suspend 49
highly available applications 45
interruption 348–349
resume 374
reversal 49
rolling disaster 380
RTO and RPO 362–363
synchronous 46, 48, 51, 53
write-order consistency 51
replacement of defective hard disks 22–24
single point of failure 55
DMI, *see* Management of storage networks
DMS, *see* Archiving
DMTF 404, 412, *505*

Doubling of storage requirement
  every 4–12
  months 238
Document Management System (DMS), *see* Archiving
DR, *see* Business continuity, disaster recovery
Drive sharing, *see* Storage sharing
Drive, *see* Removable media, drive
Dual SAN, *see* Availability *357*
Dual storage network, *see* Availability, dual SAN
DVD, *see* Removable media, optical media
DWDM 100, 108–109, *505*

E
E-business 230, 238, *520, 524*
ECC, *see* Error-correcting encoding
ECM, *see* Archiving, enterprise content management
Element manager, *see* Management of storage networks
Electronic signature 303, 307
Electronic vaulting, *see* Business continuity, vaulting
Emulated loop, *see* Fibre Channel
Enhanced shared-nothing cluster, *see* cluster
Enterprise Content Management (ECM), *see* Archiving
ERP 332–335, *506*
ERP system, *see* Archiving, ERP system
Error-correcting encoding (ECC) 303
Error handler, *see* Backup
Escalator
  jitter 73–74
  skew 71
ESCON 97, 88, *506*
Ethernet
  8b/10b-encoding 73–75
  cut-through routing 89
  gigabit 9, 66, 74, 88, 113, 115, 125–126, 146, 233, 248–249
  latency 134
  level 3 router 114
  Virtual Interface Architecture (VIA) 62, 88, 120–122, 197
Exchange, *see* Fibre Channel
Extensible access method (XAM), *see* Archiving
External storage, *see* Storage, external

F
Fabric login (FLOGI), *see* Fibre Channel
Fabric, *see* Fibre Channel
Fault-tolerance, *see* Availability
FC *506*
FCIA *506*
FCIP, *see* IP storage
FCN, *see* Fibre Channel, Fibre Channel Name (FCN)
FCP, *see* Fibre Channel, Fibre Channel Protocol (FCP)
FDDI 66, 248
Fiber *507*
Fibre Channel, 9, 16, 19, 21, 26, 61–62, 199, *507*
  64b/66b-encoding 74
  8b/10b-encoding 73–75
  addressing 84–85
  AL_PA 85, *498*
  aliasing 90
  application protocols 86–88
  Arbitrated Loop Physical Address (AL_PA) 85
  arbitrated loop topology 67, 69–70, 83, 93–96, *498*
  bandwidth 69, 79, 89–91, 93, 99, 111, 113, 115–116, 125–126, 134
  buffer-to-buffer credit 78, 83
  cable types 74, 96
  class 1, class 2, class 3, *see* Fibre Channel, service classes
  clock-pulse rate synchronization 73
  common HBA API 396
  compression 82
  configuration server 396–397
  credit 78, *356*
  cut-through routing 89
  data word 75
  destination identifier (D_ID) 84
  director 97–99, *504*
  directory service 396–397
  dual fabric 98
  emulated loop 95, *506*

Fibre Channel, (*continued*)
encryption 82, 109
end point node information 398
end-to-end credit 78, 84
error correction 77, 79, 107
error rate 72–73, 77–78
exchange 76–78, *506*
extender 65, 99–100
fabric controller 85–86
fabric login (FLOGI) 83, *506*
fabric login server 85–86
fabric services 85–86
fabric topology 89–93
Fibre Channel FCP-to-iFCP gateway 106
Fibre Channel Name (FCN) 84, *506*
Fibre Channel over IP (FCIP), *see* IP storage
Fibre Channel protocol (FCP) 67–68, 87, *507*
Fibre Channel SAN 65, 88–105, *507*
terminology 'SAN' 67
Fibre Channel-to-SCSI bridges 97
Fibre connection (FICON) 68, 88, *507*
flow control 78–81, 90, *507*
frame 76–78, *507*
frame buffer 90
generic services (FC-GS) 396
hard zoning 92, *508*
hardware components 75, 88–89, 96–99
host bus adapter (HBA) 61, 107
hub 69–70, 93–94, 97, 99
interoperability 103–105
interSAN 100–102
inter-switch link (ISL) 82, 91, 104, *510*
investment protection 135
IP backbone 108–109, 112
IP over Fibre Channel (IPFC) 68, *510*
iSCSI-to-Fibre Channel gateway 106–107, 116–117
latency 67, 89–90, 93, 99, 114–116, 120–121, 134
link 69–71, *511*
link extender 65, 99–100
LIP 99, *511*
Logical Fibre Channel SAN, *see* Fibre Channel, Virtual Fibre Channel SAN
login 82–84
LUN masking 92–93
managed hub 99, *512*
management service 393, 395–397
methodologies for interconnects (FC-MI) 396
mirroring 82, 99–100, 108
multipathing 82
multipathing software 207, 209–211, 213
name server 85–86, 396–397, 401, *513*
N-Port login (PLOGI) 84
number of ports 98
ordered set 68, 75, *514*
platform registration 398
plug types 62, 72
point-to-point topology 69–70, 83, 89, *515*
port 69–71
port address (N-Port ID) 84, 86, 92
port login (PLOGI) 84, *515*
port types 70–71
port zoning *515*
private loop 94–95, *515*
private loop device 95, *515*
process login (PRLI) 83–84, *515*
protocol mapping 68, 84, 87, *515*
protocol stack 65, 109, 114, 119, 123
public loop 94–96, *515*
public loop device 95, *516*
Quickloop 95,*516*
RAID 63, 68, 82, *516*
read link error status (RLS) 397
read port status (RPS) 397
registered state change notification (RSCN) 86, 128, 398, *517*
request node identification data (RNID) 397
request topology information (RTIN) 397
requirements 66–67
routing 89, 93, 97, 109, 114–115, 130, 135
RSCN, *see* Fibre Channel, registered state change notification (RSCN)
SAN islands 79, 100, 102
SCR 86
SCSI over Fibre Channel, *see* Fibre Channel, FCP
sequence 74–77, 80, 83, 87, *518*
serial transmission 67, 71, 73–74
service classes 78–81
class 1 79

class 2 79
class 3 79
soft zoning 92, *520*
source identifier (S_ID) 84
state change registration (SCR) 86
striping 82
support matrix 103
switch 78–79, 84, 89–90, 93–95
switched hub 99, *521*
transfer rates 71
translated loop 95, *522*
transmission rate 71, 73–74, 114, 119
transmission word 74
ULP 67–68, 86–88, *523*
unmanaged hub 99, *523*
upper layer protocol (ULP) 67–68, 86–88, *523*
Virtual Fibre Channel SAN 93
Virtual Interface Architecture (VIA) 62, 120–122
VSAN 462, *523–524*
World Wide Name (WWN) 84
World Wide Node Name (WWNN) 84
World Wide Port Name (WWPN) 84
WWN *524*
WWN zoning *524*
WWNN 84, *524*
WWPN 84, *524*
zone server 396–397
zoning 90, 92, 104, 109, 119
Fibre Channel over IP (FCIP), *see* IP storage
FICON, *see* Fibre Channel
File level 10, 178–180, 184, 233, 244–246, 262, 466, 475, *507*
File orientation *507*
File server, *see* file systems
File system check 139, 210
File systems 137–155
archive bit 262–263
archiving
backup, *see* Backup
CIFS 9, 104, 113, 123, 141, 145–146, 150–151, 153, 156, 177, 183, 196–198, 210, 222, 264, 316, 325–327, 331, 388, 453, 455–456, 464
DAFS 8, 124, 147–150, 152
databases 149
fDAFS (user space) 149
Locking 124, 148
RDMA 147, 150
uDAFS (user space) 148–149
file server
FTP server 143
HTTP server 143
NFS server 143
performance bottleneck 145–146
protection against failure
file system check 139
file systems and databases 138–139
GPFS 152–155, 175
configuration management 154
File System Manager 154
GPFS cluster 152
GPFS Daemon 154
Meta Data Manager 155
node set 153–154
striping 153
token administration 155
Virtual Shared Disk (VSD) 152
journaling 139, *510*
local 140–143
log file 139
mount command 143
NAS gateway 144–145, 232, 316, 459
NAS servers 9, 66, 104, 143–145, 183, 233–234, 257, 261, 263–271, 459, 465, 472, 490–491
NAS server 143–145, *513*
administrative burden 117
backup, *see* Backup
performance bottleneck 145–146
scalability 144
upgrade path 144
network drive 143
network file systems 140–143, *514*
NFS 140–143, *514*
performance bottleneck 145–146
shared disk file systems 150–153, 177, 179, 204, 206, 223–225, 254–256, *519*
snapshot 6, 139–140, *519*
volume manager 140
disaster recovery 358
high availability 357
RTO and RPO 362–363

File/record layer, *see* SNIA shared storage model
Firewire 62
Five tier architecture, *see* IT architecture, web architecture
FLOGI, *see* Fibre Channel, fabric login (FLOGI)
Forward recovery, *see* databases
Frame, *see* Fibre Channel
FTP 113, 145, 197, 261
Fuzzy backup, *see* Databases, backup

G
GDPdU, *see* Archiving
Gigabit Ethernet 9, 66, 74, 88, 113, 115, 125–126, 146, 233, 248–249
GoBS, *see* Archiving
GPFS, *see* file systems
Graphical User Interface (GUI) 394

H
HA, *see* Archiving
Hamming code 23, 37, 55
Hard disk, *see* Disk subsystems
Hard zoning, *see* Fibre Channel
HBA, *see* Host bus adapter (HBA)
HCA, *see* InfiniBand, host channel adapter (HCA)
Health level 7 (HL7), *see* Archiving
Hierarchical storage management, *see* Backup
High-availability, *see* availability
HIPPI 62
HIS, see Hospital Information Systems (HIS)
HL7, *see* Archiving, health level 7
Hospital Information Systems IS (HIS) 335
Host bus adapter (HBA) 61, 69, 163, *508*
Host-I/O bus, *see* I/O techniques
Hot backup, *see* Backup, databases
Hot spare disks 22–23, *508*
HSM, *see* Backup, (HSM)
HSM client, archiving 328–329
Hub, *see* Fibre Channel
Hyper Text Meta Language (HTML) 143
Hyper Text Transfer Protocol (HTTP) 99, 113, 143, 197, 261

I
I/O bus, *see* I/O techniques
I/O path, *see* I/O techniques
I/O techniques 59–135
  controller 61, 63, 66, 86, 121
  device driver, *see* I/O techniques, device driver 61
  host bus adapter (HBA) 61, 69
  host I/O bus 61, *508*
  I/O bus 60–61, *508*
  redundant I/O bus, *see* Availability
  I/O path 60–62, 146, 156, 197–198, *509*
  latency 67, 89–90, 93, 99, 114–116, 120–121, 134
  network interface controller (NIC) 61
  system bus 61, *521*
iECM, see Archiving, interoperable enterprise content management
IEEE 1244, *see* Removable media management
IEEE 1394 62
IETF 105–106, 109, 123–124, 135, 150, 393, 399, 410, *509*
iFCP, *see* IP storage
ILM, see information lifecycle management
Image restore, *see* Backup
In-band management, *see* Management of storage networks
In-band virtualization, *see* Storage virtualization, symmetric
Incremental forever, *see* Backup
Infiniband 9, 61, 74, 116, 150, 233, 393, *509*
  8b/10b-encoding 73–75
  cable types 74, 96
  channel adapter 119
  host channel adapter (HCA) 119, *508*
  interoperability 103–105
  protocol stack 66–88
  remote direct memory access (RDMA) 122–124
  target channel adapter (TCA) 119, *522*
  transmission rate 114, 117, 119
  Virtual Interface Architecture (VIA) 62, 88, 120–122, 197
Information lifecycle management (ILM)

archive data 282
backup data 282
classical data 365
definition 288
differentiate from archiving, 288–290
Instant copy, *see* Disk subsystems
Internal storage, *see* Storage, internal
Internet FCP (iFCP), *see* IP storage
Internet SCSI, *see* iSCSI
internet Storage Name Service (iSNS), *see* IP storage
Interoperability 103–105
disk subsystems 140–141, 170
Interoperable Enterprise Content Management(iECM), *see* Archiving
IP storage 105–109
RDMA 108
support matrix 90, *370*
Inter-switch link (ISL), *see* Fibre Channel
IP storage 105–117, 351, *510*
advantages 105
collisions 111
CPU load 114
cut-through routing 89
disadvantages 105
encryption 82, 109
Fibre Channel over IP (FCIP) 105, 108–109, 197
backup 105, 108–109
FCIP-to-Fibre Channel gateway 109
Internet FCP (iFCP) 105
Fibre Channel FCP-to-iFCP gateway 106
iSNS 109
Internet SCSI (iSCSI) 9, 16, 104–105, 109, 124, 126, 150, 156, 182, 197, 388
boot 104–105
iSCSI HBA 105–106, 114
iSCSI-to-Fibre channel gateway 106, 116–117
iSNS 105–109
software driver 92
TCP/IP offload engine (TOE), *see* TCP/IP offload engine
internet Storage Name Service (iSNS) 105–109, *510*
interoperability 111, 114, 131
investment protection 135
iSCSI extension for RDMA (iSER) 104, 106, 124, 150, *510*
iSCSI SAN 67, 106, 113, *510*
latency 114–116, 120–121, 134
metro FCP (mFCP) 106, *513*
migration path potential 105, 117
standardization 119
storage over IP (SoIP) 105, *520*
IPFC, *see* Fibre Channel, IP over Fibre Channel (IPFC)
iSCSI, *see* IP storage
iSER, *see* IP storage
ISL, *see* Fibre Channel, inter-switch link (ISL)
iSNS, *see* IP storage, internet Storage Name Service (iSNS)
IT architecture
five tier architecture, *see* IT architecture, web architecture
server-centric 1–4, 167, 199–200, 248, 389, *518*
performance bottlenecks 247
storage-centric 3–4, 56, 170, *369* (31 instances)
three tier architecture 226–227
web architecture 226–230

J

Java Content Repository (JCR), *see* Archiving
JCR, *see* Archiving, Java Content Repository
Jitter 73–74, 134 *510*
Job scheduler, *see* Backup
Journaling, *see* File systems
JSR-170, *see* Archiving, Java Content Repository
JSR-283, *see* Archiving, Java Content Repository
Just a bunch of disks (JBOD), *see* Disk subsystems, JBOD

K

K28.5 symbol 75, *510–511*

L

Label 53, 346, 420, *511*
LAN 2, 66, 254–256, 277, *511*
LAN-free backup, *see* Backup

latency 67, 89–90, 93, 99, 114–116, 120–121, 134, *511*
Level 3 router 114
Library partitioning, *see* Storage sharing
Library sharing, *see* Storage sharing
Library, *see* Removable media
Link, *see* Fibre Channel
LIP, *see* Fibre Channel
Load balancing, *see* Cluster, load balancing
Log file, *see* Databases
Logical SAN, *see* Fibre Channel, Virtual Fibre Channel SAN
Loop 67, 69–70, 83, 93–96, *511*
Lord of the Rings 418
LUN masking, *see* Disk subsystems
LUN zoning 52–54, 56, 161, 182, *511*
LUN, *see* SCSI

M
Magnetic tapes, *see* Removable media, tapes
Magneto-optical disk (MO disk) 419, *511*
Magneto-optical media, *see* Removable media, optical media
Maintainability 163, 166, 195, 204
MAN *512*
Managed hub, *see* Fibre Channel
Management console, *see* Management of storage networks
Management interface, *see* Management of storage networks
Management of storage networks 3–4, 164, 171–172, 183–184
  API 318
  Bluefin, *see* CIM, SMI-S
  CIM, *see* CIM
  CMIP 411, *501*
  discovery 397, *504*
  DMI 412, *505*
  element manager 394, *505*
  events 397–398
  in-band management 394–398
  in-band management interface 391
  management agent 395–396
  management console 387–390, 396, 399, *512*
  management systems 389
  mechanisms 391
  messages 397–398
  metadata controller *512*
  MIB file 401
  monitoring 397, *513*
  out-band management 398–399, *514*
  out-band management interface 391
  removable media, *see* removable media management
  SMI-S, *see* CIM
  SNMP, *see* SNMP
  Telnet 394
  traps 397
  WBEM, *see* CIM
Management of removable media, *see* Removable media management
Manchester encoding 73–74, *512*
MD5, *see* Data integrity, cryptographic hash
Mean-time-between-failure (MTBF), *see* Availability
Mean-time-to-failure (MTTF), *see* Availability
Mean-time-to-repair (MTTR), *see* Availability
Media changer, *see* Removable media
Media manager, *see* Backup
Media server 232–233
Message digit 5 (MD5), see Data integrity, cryptographic hash
Metadata 241–242, 246
Metadata controller (MDC), *see* Storage virtualization, metadata controller
Metadata database, *see* Backup
Metro FCP (mFCP), *see* IP storage
MIB, *see* SNMP, management information base (MIB)
Microfilm, see Archiving
Mirroring, *see* RAID, RAID 1 (mirroring)
mksysb command (AIX) 262
MOD, *see* Magneto-optical disk (MO disk)
Modality, see Archiving
Monitoring, *see* Management of storage networks
Mount command 143
Mount request, *see* Removable media management
MTBF, *see* Availability, mean-time-between-failure

MTTF, *see* Availability, mean-time-to-failure
MTTR, *see* Availability, mean-time-to-repair
Multipathing 82, *513*
Multipathing software 207, 209–211, 213

N
Name server, *see* Fibre Channel
NAS, *see* File systems, NAS server
NDMP 104, 265–272, *513*
  architecture 266
  backup of metadata 271
  client 266
  control connection 266–267
  data connection 266
  data management application (DMA) 265–267
  data management operation 266
  data service 266–267
  data stream
    compression 271
    encryption 271
    multiplexing 270
  direct access recovery 267
  extension
  file history interface 267
  file locator data 267
  host 266
  instant copy 271
  interoperability 105
  LAN-free backup 267, 270
  library sharing 267–268
  local backup 267
  remote backup 267
  SCSI pass through service 267
  server 266
  service 266–267
  session 266–267
  snapshots 272
  tape service 267
  translator service 270–271
Network Attached Storage (NAS), *see* File systems, NAS server
Network Backup, *see* Backup
Network card, *see* Network interface controller (NIC)
Network Data Management Protocol, *see* NDMP
Network drive 143
Network file systems, *see* File systems
Network interface controller (NIC) 61, 121, *514*
Network Management System (NMS), *see* SNMP
Network Recovery Objective (NRO), *see* Business continuity
NFS, *see* File systems
NIC, *see* Network interface controller (NIC)
NRO, *see* Business continuity, Network Recovery Objective

O
Offline storage, *see* Removable media management, vaulting
Off-site storage, *see* Backup
OOM, *see* CIM, object-oriented modelling (OOM)
Open Systems 9, 88, 98, 196, 212, *514*
Optical media, *see* Removable media
Ordered set, *see* Fibre Channel
OSI reference model 196
Out-band management, *see* Management of storage networks
Out-band virtualization, *see* Storage virtualization, asymmetric

P
PACS, see Archiving, Picture Archiving and Communication System
Paper archive, *see* Archiving, paper archive
Parallel computer RS/6000 SP 152, 155
Parity, *see* RAID
Partition, *see* Removable media
PCI 61, 117–119, 126, 145–146, 163, 247
Performance bottleneck, 246–247
  buses 247
  copying to the storage hierarchy 214, 219
  CPU 219
  due to hot backup 242
  due to intensive testing 5
  file server 118–119
  hard disk 24
  I/O path 24, 139
  main memory 219

Performance bottleneck, (*continued*)
metadata database 214, 217
NAS 119
network file system 118–119
parity hard disk, *see* RAID, parity hard disk
tape reclamation 247
TCP/IP 247
write penalty, *see* RAID, write penalty
Performance increase
by archiving 245
by backup on block level 246
by backup on volume level 246
by backup over the storage network 219–223
by caching 35–37
by HSM 245, 213
by incremental forever 245,
by installation of all servers on one computer 218–219
by installation of an additional LAN 215–216
by installation of several backup servers 217
by instant copy 37
by network backup 248–249
by optimisation to reduce the write penalty 31
by parallel hard disk access, *see* RAID
by RAID, *see* RAID
by RDMA 120
by reduction of tape mounts 246
by shared disk file systems 124
by shared memory 218, 219
by smoothing of load peaks 36
by storage virtualization 148
by streaming 246
by striping over several disk subsystems 166–167, 222, 272, 457
by virtualization 135
striping 127
Picture archiving and communication system (PACS), *see* Archiving
Point-in-time restore, *see* Backup
Point-to-point, *see* Fibre Channel
Port *364*
Port login (PLOGI), *see* Fibre Channel
Port zoning, *see* Fibre Channel
Prefetch hit rate 41, *515*
Private loop device, *see* Fibre Channel
Private loop, *see* Fibre Channel
Process login (PRLI), *see* Fibre Channel
Protocol converter, Archiving 324
Protocol mapping, *see* Fibre Channel
Public loop device, *see* Fibre Channel
Public loop, *see* Fibre Channel

Q

Quickloop, *see* Fibre Channel

R

Radiological Information System (RIS), *see* Archiving
RAID 20–37, 45, 52, 135, 184, *365*
data integrity 302–305
data scrubbing, 38–39, 302
degraded array *503*
cache 41
capacity 23
comparison of the RAID levels 38–40
fault-tolerance 16, 19, 22, 26, 29, 39, 54–55
Fibre Channel FC-3 67, 77, 82
hard disk, *see* Disk subsystems, hard disk
hot spare disks 22–23
level 22
over several disk subsystems 166–167, 222, 272
parity 31–37, *515*
parity blocks 32–35, 37, 533–534
parity hard disk 31–35
performance 34, 37–40
prefetch hit rate 41
preventive rebuild 38–39
priority of data restore 23
RAID 0 (striping) 25–26, 39, 153, 166, 361, *521*
availability 361
RAID 0+1 (mirrored stripes) 26–31
RAID 1 (mirroring) 26–29, 31, 34, 39, 142, 166, 212, 361, *513*
RAID 10 (striped mirroring) 26–31, 34, 39–40, 43
RAID 10 (striped mirrors) 26–31

RAID 2 37–38
RAID 4 (parity) 31–35, 39
RAID 5 (striped parity) 31–35, 39
data loss 35
RAID 6 (multiple parity) 35–37
rebuild 38–39
replacement of defective hard disks 22–24, 39
three-way mirroring 26, 43
volume manager 140
write penalty 32–34, 37, 39, 41
XOR operator 32–34
RDMA, *see* Remote Direct Memory Access (RDMA)
Realtime data sharing, *see* Storage sharing
Recovery Point Objective (RPO), see Business continuity
Recovery Time Objective (RTO), see Business continuity
Regulatory compliance, see Archiving
Remote Direct Memory Access (RDMA) 104, 122, 140, 233, *516*
interoperability 103, 123
iSER, *see* IP storage, iSER
RDMA over TCP 123, *516*
RNIC 123–124, *516*
SDP, *see* SDP
Virtual Interface Architecture (VIA) 120–122
Remote mirroring, *see* disk subsystems
Removable media 278–283
access handle 420
archiving 417
cartridge 420, *500*
cartridge label 420
lifecycle, *see* Removable media management, cartridge recovery 294
sharing, *see* Storage sharing
status 294
tape drive 419, 422–423, 437
library
autoloader *499*
client 439–441
master 171
sharing, *see* Storage sharing
slot, 421–422, 441, *519*
tape library 424–426, 430–433, 440
virtual 487
management, *see* Removable media management
media changer 422–424
control 282–283
interfaces 422–424
optical media 419
optical WORM media 300
partition 420, *515*
robot, *see* Removable media, media changer
side 420, *519*
tape 419
mount 210, 213, *522*
reclamation, *see* Backup
streaming 419, 422, *521*
tape drive sharing, *see* Storage sharing
tape drive, *see* Removable media, drive
tape library sharing, *see* Storage sharing
tape library, *see* Removable media, library
volume 420, *523*
worm tape 300–301
Removable media management 417–446
access control 426–429
access synchronization 426, 430
audit trail, *see* Removable media management, media tracking
authentication 427
authorization 427–429
cartridge
access authorization 427–429
life cycle 435–436
states 435–436
cataloguing 425
common scratch pool 429, *501*
drive pool 432–433
drive sharing, *see* Storage sharing
error statistics 442
fault-tolerance 453
grouping 431–433
IEEE 1244 439–445
architecture 440, 447
data model 439, 441
drive management protocol (DMP) 439
drive manager 439, 445–446
library management protocol (LMP) 439

Removable media management (*continued*)
library manager 439–441
library sharing, *see* Storage sharing
life cycle management 426, 435–436
management features 279–280
management interface 434
media management protocol (MMP) 439–445
media manager 439–445
audit 420
audit trail 420
auditing 421
vaulting 421, 433–435
monitoring 437
drive status 437
mount request 420
prioritization 430–431, 441, 443
queuing 430–431
non-privileged clients 440–442
policy-based 434
pooling 431–433
privileged clients 440
problems and requirements 425–426
reporting 437–438
roles 428
application 428
library administrator 428
library operator 428
storage administrator 428
user 428
Scratch pool, *see* Removable media management *577*
scratch pool 428–429, 431–432
scratch tape 420
tape drive sharing, *see* Storage sharing
tape library sharing, *see* Storage sharing
tape quality management 437
task queue 443–444
trend analysis 295
usage statistics 438
vaulting 433–435
off-site location 434
policy-based 434
vaults 421
Replication 114, 203–204, 234, 267, 358, 363, 371–372, 374, 377, 385, 453, 466, 470–471, *516*
Representation server, *see* IT architecture
Resource sharing, *see* Storage sharing
RIS, see Archiving, Radiological information system
Risk management
archiving 342
business continuity, risk analysis 353–355
RNIC, *see* Remote Direct Memory Access (RDMA)
Robots, *see* Removable media, media changer
Roll forward *507*
Rolling disaster, *see* Business continuity
Rothenberg, Jeff 310
RPO, see Business continuity, Recovery Point Objective
RS/6000 SP 152–155
RTO, see Business continuity, Recovery Time Objective

S

S_ID, *see* Fibre Channel
SAFS *517*
SAN router 97, *517*
SAN, *see* storage networks
SAS 19, 62, *517*
SATA 19, 67, *517*
Scalability, *see* Adaptability
SCSI 1, 2, 14, 17, 19, 52–56, 214, 219, 221, *367*
3rd-party SCSI copy command 253–254, *518*
arbitration 64
daisy chain 62–63
SCSI Enclosure Services (SES) 393, *518*
Fibre Channel-to-SCSI bridges 97
link extender 65, 99–100
LUN 63, 136, 207, 388, 409, 423, 462
SCSI over Fibre Channel, *see* Fibre Channel, FCP
priority of the target IDs 63–64
SAS, *see* SAS
SCSI bus 62–65, 71
SCSI protocol 63
storage networks with SCSI 65
target 64, 124, 207, 423
target ID 63–64, 207, 423, *522*

twin-tailed cabling 65, *522*
XCOPY *525*
SDK 318, *518*
SDP 106, 116, 123–124, 136, 146, 150, *518*
Secure hash algorithm (SHA), *see* Data integrity, cryptographic hash
Service level agreement (SLA), business continuity 356
Secure shell (SSH) 302, 394
Sequence, *see* Fibre Channel
Sequential access block layer, *see* SNIA shared storage model
Serial ATA (SATA), *see* SATA
Server
availability, *see* Availability
cluster, *see* Cluster
consolidation *518*
upgrade 2
Server-centric IT architecture, *see* IT architecture
Service subsystem, *see* SNIA shared storage model
SES, *see* SCSI, SCSI Enclosure Services (SES)
SHA, *see* Data integrity, cryptographic hash
Shared disk file systems, *see* File systems
Shared memory 251, 255
Shared storage environment 450–453, 457, 460, 462, *519*
Shared-everything cluster, *see* Cluster
Shared-nothing cluster, *see* Cluster
Shared-null configuration, *see* Cluster
Side, *see* Removable media
Signal encoding 71
Single point of failure 55, 212, *519*
Skew 71, *519*
SLA, *see* Service level agreement (SLA)
Slot, *see* Removable media, library
SMI-S, *see* CIM
Snail at a Porsche's pace 293
Snapshot, *see* File systems
SNIA 8, 11, 316, 318, 393, 396, 401, 411, 420, *519*
SNIA shared storage model 449–492
applications 452
block layer 452, 455–458
extent aggregation layer 479–480
file/record layer 450–452, 454–455
host computer 453, 455, 458–459, 462
interconnection network 452–453
logical storage resource 453
physical storage resource 453
sequential access block layer 479, 484–492
services subsystem 452, 466
storage device 452
storage management functions 452
tape applications 479
tape device 479
tape extent 477
tape extent separator 477
tape format system 479
tape header 477
tape media 479
tape trailer 477
SNMP 11, 99, 400–403
agent 261
architecture 400–403
community name 402–403, *501*
Fabric Element MIB 401, 403, 414
Fibre Channel Management MIB 401, 403, 414
managed device 401, 408
managed object 401, 408–409
Management Information Base (MIB) 401, *513*
MIB file 401, *513*
MIB hierarchy 401–402
Network Management System (NMS) 400, *514*
object identifier 401–402
operations 403, 405, 413–414
security 398, 400
trap 403, *522*
trap recipient 403, *522*
traps 403
Socket Direct Protocol (SDP), *see* SDP
Soft zoning, *see* Fibre Channel
SoIP, *see* IP storage, Storage over IP (SoIP)
Space efficient instant copy, *see* Disk subsystems, instant copy
SPOF, *see* Availability, single point of failure
SRM *520*
SSA 19, 62, 74, 152, *520*
SSH, *see* Secure shell (SSH)
SSP *520*

Standardised interfaces, archiving 393
Storage
  archive 283–288
  external 4, 106, 455, 492, *506*
  flexible assignment 167
  internal 4, *510*
  logical 174, 184, 453
  maximum capacity 4, 19
  physical 44, 171–178, 183, 188, 190, 453, 457
  replacement of storage devices 168
  virtual 173–179, 186, 462
Storage area network (SAN), *see* Storage networks
Storage consolidation 15, *520*
Storage doubling every 4–12 months, data growth 238
Storage gateway 97, *520*
Storage hierarchy, *see* Archiving, storage hierarchy; Backup
Storage management, *see* Management of
Storage networks 3–4, 164, 171–172, 183–184, *521*
  application protocols 196–197
    block-oriented 196
    file-oriented 196
  definition of terms 195–196
  dual SAN, *see* Availability, dual SAN
  Fibre Channel SAN 66–69, *507*
  iSCSI SAN 67, 106, 113, 156–158, *510*
  layers 196–197
  management, *see* Management of storage networks
  requirements 67
  SAN 67
  terminology 'SAN' 67
  transmission techniques 156, 196–197
  transport protocols 196–197
  with SCSI 65–66
Storage over IP, *see* IP storage, storage over IP (SoIP)
Storage pooling, *see* Storage sharing
Storage sharing 199–206
  data copying 203, *502*
  data sharing 203–206, *502*
  drive sharing 425
  library partitioning 203
  library sharing 201–203
  NDMP 265
  limitations 171–172, 201
  real time data sharing 203–205, *516*
  storage pooling 199–201
Storage virtualization 172–178, 181–184, 188–191, *521*
  asymmetric 188–191
  data migration 176
  data protection 178
  definition 172–174
  implementation 174–178
  in storage devices 182–183
  in the network 183–184
  in the server 181–182
  in-band virtualization, *see* Storage virtualization, asymmetric
  metadata controller (MDC) 184–187, 189, 466, *512*
  objectives 172
  on block level 10, 178–179
  on file level 179
  out-band virtualization, *see* Storage virtualization, asymmetric
  profile-orientation 175
  removable media 425
  policy-based 146
  symmetric 184–188, *521*
  tape library 299
  virtualization entity 145
Storage-centric IT architecture, *see* IT architecture
Streaming, *see* Removable media, tape
Striping, *see* RAID, RAID 0 (striping)
Support matrix, *see* Interoperability
Switch *521*
Switched hub, *see* Fibre Channel
Symmetric storage virtualization, *see* Storage virtualization
System bus, *see* I/O techniques

T

Tape drive, *see* Removable media, drive
Tape library, *see* Removable media, library

Tape mount, *see* Removable media
Tape quality management 437
Tape reclamation, *see* Backup
Tape, *see* Removable media
Target ID, *see* SCSI
TCA, *see* InfiniBand, target channel adapter (TCA)
TCP/IP 9, 77, 99, 105–116, 123–125, 136, 140, 146, 196, 199, 393 (142 instances)
  CPU load 114–115
  Socket Direct Protocol (SDP), *see* SDP
  virtual IP address 210–211, 222
TCP/IP offload engine (TOE) 105, 114, 146, 247, *522*
  iSCSI offload engine 105
Telnet, *see* Management of storage networks
Three tier architecture, *see* IT architecture
Three-way mirror, *see* RAID
Tiered storage, *see* Storage hierarchy
TOE, *see* TCP/IP offload engine
Transaction, *see* Databases
Translated Loop, *see* Fibre Channel
Trap recipient, *see* SNMP
Trap, *see* SNMP
Twin-tailed SCSI cabling, *see* SCSI

U
UDO, *see* Ultra density optical
ULP, *see* Fibre Channel
Ultra density optical (UDO) 300
Unmanaged hub, *see* Fibre Channel
USB 62
User profile 230–231, 233

V
Vaulting, *see* Removable media management
VI NIC, *see* Virtual Interface Architecture (VIA), network interface controller (NIC)
VI, *see* Virtual Interface Architecture (VIA), virtual interface (VI)
Virtual Fibre Channel SAN, *see* Fibre Channel
Virtual Interface Architecture (VIA) 62, 88, 120–122, 197, *523*
  completion queue 122
  consumer 122
  doorbell 121–122
  Ethernet 120, 122–123
  Fibre Channel 77, 120
  InfiniBand 118–120
  interoperability 105
  kernel agent 122
  network interface controller (NIC) 122, *514*
  RDMA, *see* Remote direct memory access (RDMA)
  receive queue 122
  send queue 122
  user agent 122
  VI provider 148
  virtual interface (VI) 121, 140, *523*
  work queue pair 122
Virtual IP address 210
Virtual private network (VPN) 302
Virtual SAN, *see* Fibre Channel VSAN
Virtual shared disk (VSD) 152
Virtualization in the I/O path 163–167
Virtualization, *see* Storage virtualization
Voice networks 198
Voice over IP (VoIP) 113, 134, 199
Volume level 244, 246, *523*
Volume manager 140, 165
Volume, *see* Removable media
VPN, *see* Virtual private network
VSAN, *see* Fibre Channel
VSD 152

W
WAN 70
WBEM, *see* CIM
Web applications 195–203
Web architecture, *see* IT architecture
Web Flash Archive (Solaris) 263
WebGUI 394
World Wide Web (WWW) 143
Write once ready many (WORM)
  comparison of techniques 301–302
  hard disk systems 299
  magnetic tapes 300–301
  optical media 300
  techniques 282, 285

Write order consistency, *see* Disk subsystems, remote mirroring
Write penalty, *see* RAID
WWN zoning, *see* Fibre Channel
WWN, *see* Fibre Channel
WWNN, *see* Fibre Channel
WWPN, *see* Fibre Channel

X
XAM, see Archiving, Extensible Access Method (XAM)
XCOPY, *see* SCSI

Z
Zoning, *see* Fibre Channel